

§ 180.420

Commodity	Parts per million
Sheep, meat byproducts	0.5
Sorghum, grain	6.0
Wheat, grain	6.0

(2) Tolerances are established for the combined residues of the insecticide chlorpyrifos-methyl (*O,O*-dimethyl-*O*-(3,5,6-trichloro-2-pyridyl)phosphorothioate and its metabolite (3,5,6-trichloro-2-pyridinol) in or on the following food commodities when present therein as a result of application to stored grains:

Commodity	Parts per million
Barley, bran	90
Barley, pearled barley	90
Rice, bran	30
Rice, hulls	30
Rice, polished rice	30
Sorghum, grain, bran	90
Wheat, bran	30
Wheat, germ	30
Wheat, middlings	30
Wheat, shorts	30

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[65 FR 33715, May 24, 2000, as amended at 74 FR 46374, Sept. 9, 2009]

§ 180.420 Fluridone; tolerances for residues.

(a) Tolerances are established for the combined residues (free and bound) of the herbicide fluridone (1-methyl-3-phenyl-5-[3-(trifluoromethyl)phenyl]-4(1*H*)-5-[3-(trifluoromethyl)phenyl]-4(1*H*)-pyridinone) in fish and crayfish at 0.5 part per million.

(b) Tolerances are established for residues of the herbicide fluridone in the following raw agricultural commodities:

Commodity	Parts per million
Cattle, fat	0.05
Cattle, kidney1
Cattle, liver1
Cattle, meat05
Cattle, meat byproducts05
Egg05
Goat, fat05
Goat, kidney1
Goat, liver1
Goat, meat05

40 CFR Ch. I (7–1–10 Edition)

Commodity	Parts per million
Goat, meat byproducts05
Hog, fat05
Hog, kidney1
Hog, liver1
Hog, meat05
Hog, meat byproducts05
Horse, fat05
Horse, kidney1
Horse, liver1
Horse, meat05
Horse, meat byproducts05
Milk05
Poultry, fat05
Poultry, kidney01
Poultry, liver01
Poultry, meat05
Poultry, meat byproducts05
Sheep, fat05
Sheep, kidney1
Sheep, liver1
Sheep, meat05
Sheep, meat byproducts05

(c) Tolerances are established in the following irrigated crops and crop groupings for residues of the herbicide fluridone resulting from use of irrigation water containing residues of 0.15 ppm following applications on or around aquatic sites. Where tolerances are established at higher levels from other uses of fluridone on the following crops, the higher tolerance also applies to residues in the irrigated commodity. The tolerances follow:

Commodity	Parts per million
Avocado	0.1
Citrus1
Cotton, undelinted seed1
Cucurbits1
Fruit, pome1
Fruit, small1
Fruit, stone1
Grain, crop1
Grass, forage15
Hop, dried cones1
Legume, forage15
Nut1
Vegetable, fruiting1
Vegetable, leafy1
Vegetable, root crop1
Vegetable, seed and pod1

[51 FR 12146, Apr. 9, 1986, as amended at 55 FR 29829, July 20, 1990]

§ 180.421 Fenarimol; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide fenarimol, alpha-(2-chlorophenyl)-alpha-(4-chlorophenyl)-5-pyrimidinemethanol, in or on the following raw agricultural commodities: